

Nilfisk Automatic scrubber/dryer

Nilfisk BA/CA 340 / ET



Clean floors in half the time



If you dislike cleaning floors, you'll love the Nilfisk CA/BA 340. With just a light touch of the finger, this mini scrubber/dryer glides into action, leaving your floors spotless. There's no slippery residue, no aching back. Just a clean, dry surface. The Nilfisk CA/BA 340 is ideal for the daily maintenance of any hard floor that can be wet cleaned. Cleaning contractors will appreciate the light weight and portability of the CA 340 (230V power) with a choice of twin and membrane tanks. And for those who prefer battery operation, the BA 340 cleans up to 700 m² on a single charge. Finally, the CA 340ET offers all the qualities of the CA 340, but with an extra large tank capacity for cleaning up to 400 m² of floor space without refilling.



Simple, clearly marked controls are within easy reach of the user. Convenient foot pedal raises and lowers brush. The adjustable handle adapts to fit any person.



The unique nozzle head of the CA/BA 340 scrubber/dryer allows you to clean under furniture, right up to the wall's edge. And with a squeegee on both sides of the brush, you get equally effective drying when moving forward or backward, or turning.




The membrane tank of the CA/BA 340 (15 and 30 litre versions) is equipped with a drain hose for discharge into a bucket or gully. When empty, the tank is easily removed for cleaning. The membrane-tank version is just as compact and manoeuvrable as the two-tank version (same width and length, but slightly taller).

Twice as fast as mopping

- Cleans up to 400m² an hour - twice as fast as mopping, and with far better results.
- Leaves stone, tile, cement, marble, rubber, vinyl and sealed wood floors spotless.
- Dries as it cleans, leaving a slip-free surface.
- Simple controls are easy to see and reach.
- Unique design permits cleaning under furniture and right up to the wall's edge.
- Manoeuvrable and compact.
- Handle adjusts to the height of any user and folds away for easy storage.
- Quiet operation.
- Choice of 3 brushes, with individually adjustable pressure to ensure thorough cleaning - even on an uneven surface.

Nilfisk BA 340



Choose between a nylon brush (in soft or medium stiffness) or an optional silicon carbide brush, depending on the job. You can individually adjust the brush pressure, so that any surface is cleaned effectively.



With the twin-tank version of the CA/BA 340 scrubber/ dryer, the job of filling, cleaning and emptying the tanks is extra quick and easy. You don't need a bucket — just leave the unit where it is and carry the tanks to the nearest toilet or sink. You can clean up to 150 m² and 200 m² respectively before refilling.

The BA 340 comes with maintenance-free (sealed) batteries, an optional built-in battery charger and an LED charge indicator. The battery pack is easily accessible, allowing a quick change to a spare set for doubled capacity. To recharge simply connect the cable to a mains outlet.

Safe to use during business hours



If you're using a mop, you're probably spending about two hours to clean every 300 m² of floor, and having to wait until after business hours. With a CA/BA 340 scrubber/dryer, you can clean that same area — much better, and during business hours—in half the time or less. Because the CA/BA 340 picks up all water in a single pass as you clean, there's no slipping hazard. Plus, it's extra quiet so that the disruption of activity in surrounding areas is minimal.

Technical specifications

Description	Unit	BA 340	CA 340	CA 340 ET
Voltage	V	2x12	230	100-240
Rated power	W	693	1140	1140
Airflow max.	l/sec	45	45	17
Vacuum max.	kPa	24	24	5.6
Sound pressure level at 1.5 m (ISO 3744)	dB(A)	68	68	68
Productivity rate theoretical/actual (3km/h)	m ² /h	1360/820	1360/680	1360/680
Scrubbing width	mm	340	340	340
Suction width	mm	440	440	440
Max. speed	km/h	4	4	4
Solution/recovery tank	litre	11/12	11/12	30/30
Brush/pad diameter	mm	1 cyl. 100	1 cyl. 100	1 cyl. 100
Brush pressure	kg	16	16	16
Brush speed	rpm	1000	1000	1000
Cable length	m	20	20	-
Length x width x height	cm	62x40x105	62x40x48	62x140x62
Operating weight (machine only)	kg	93	49	68

☒ Specifications and details are subject to change without prior notice.