



Power, robustness and durability

The ultimate industrial cold water unit with high water flow and high pressure. Ideal for agriculture, industry or food industry.

The POSEIDON 7 links the advantages of high water flow and high pressure, allowing both cleaning of intense dirt and flushing and rinsing of large quantities of loose dirt. The POSEIDON 7 is equipped with the heavy duty C3 pump with a high inlet temperature of 85°C for use with pre-heated water and additional degreasing effect.

PRODUCT FACTS

- Heavy duty C3 pumps with extended lifetime.
- Inlet temperature up to 85°C.
- Ergo 3000 spray gun for unmatched user comfort.
- 1450 rpm motor.
- Ceramic pistons.

Model	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66
Ref. no	301000210	301000213	301000214	301000215
Description	POSEIDON 7-59 400-415/50 EU	POSEIDON 7-66 400-415/50 EU	POSEIDON 7-66 400/3/50 DK	POSEIDON 7-66 230,400/50 BE,NO

PRODUCT FEATURES

THREE PHASE	■	■	■	■
AUTOMATIC STANDBY	■	■	■	■
STAINLESS STEEL FRAME				
FOOD INDUSTRY WHEELS AND HOSE				
SILENT POWER - 1450 RPM MOTOR	■	■	■	■
85 C INLET WATER TEMPERATURE	■	■	■	■
C3 4-CERAMIC PISTON PUMP	■	■	■	■
FULL CERAMIC PISTONS	■	■	■	■
ERGO ACCESSORY SYSTEM	■	■	■	■

INCL. ACCESSORIES

6101766 10 M 2 WIRE HOSE Ø 3/8 DN10	■	■	■	■
6101767 10 M 2 WIRE HOSE Ø 3/8 FOOD				
101119745 Nozzle 0640 indication ring green	■	■		■
106402184 Powerspeed Vario 3000 lance 1030 0640			■	
106402190 Spray handle w. swivel lock	■	■	■	■
106402120 Tornado 3000 Lance 1040 w/o nozzle	■	■		■

Technical specifications	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66
EL CABLE (M)	8	8	8	8
POWER CONSUMPTION (KW)	7,1	8	8	8
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~ /HZ/A)	400/3/50/12	400/3/50/14	400/3/50/14	230-400/3/50/24-14
CLEANING IMPACT (KG/FORCE)	5,9	6,6	6,6	6,6
WATER FLOW QMAX/QIEC (L/H)	1200/1120	1280/1180	1280/1180	1280/1180
PUMP PRESSURE (BAR/MPA)	170/17	190/19	190/19	190/19
PUMP (RPM)	1450	1450	1450	1450
NOZZLE SIZE	0640	0640	0640	0640
MAX INLET TEMPERATURE (°C)	85	85	85	85
NUMBER OF PISTONS	4	4	4	4
CERAMIC PISTONS	X	X	X	X
DIMENSIONS LXWXH (MM)	1020x480x940	1020x480x940	1020x480x940	1020x480x940
WEIGHT (KG)	71	74	74	74

Model	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66
Ref. no	301000216	301000217	301000218	301000219
Description	POSEIDON 7-66 200/3/50 JP	POSEIDON 7-66 200/3/60 JP	POSEIDON 7-66 440,220/60 US	POSEIDON 7-66 440,220/60 EXP

PRODUCT FEATURES

THREE PHASE	■	■	■	■
AUTOMATIC STANDBY	■	■	■	■
STAINLESS STEEL FRAME				
FOOD INDUSTRY WHEELS AND HOSE				
SILENT POWER - 1450 RPM MOTOR	■	■	■	■
85 C INLET WATER TEMPERATURE	■	■	■	■
C3 4-CERAMIC PISTON PUMP	■	■	■	■
FULL CERAMIC PISTONS	■	■	■	■
ERGO ACCESSORY SYSTEM	■	■	■	■







INCL. ACCESSORIES

















6101766 10 M 2 WIRE HOSE Ø 3/8 DN10	■	■	■	■
6101767 10 M 2 WIRE HOSE Ø 3/8 FOOD				
101119745 Nozzle 0640 indication ring green	■	■	■	■
106402184 Powerspeed Vario 3000 lance 1030 0640				
106402190 Spray handle w. swivel lock	■	■	■	■
106402120 Tornado 3000 Lance 1040 w/o nozzle	■	■	■	■






Technical specifications	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66	POSEIDON 7-66
EL CABLE (M)	8	8	8	8
POWER CONSUMPTION (KW)	8	8	8	8
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~ /HZ/A)	200/3/50/28	200/3/60/28	440-220/3/60/12,5-25	440-220/3/60/12,5-25
CLEANING IMPACT (KG/FORCE)	6,6	6,6	6,6	6,6
WATER FLOW QMAX/QIEC (L/H)	1280/1180	1280/1180	1280/1180	1280/1180
PUMP PRESSURE (BAR/MPA)	190/19	190/19	190/19	190/19
PUMP (RPM)	1450	1450	1450	1450
NOZZLE SIZE	0640	0640	0640	0640
MAX INLET TEMPERATURE (°C)	85	85	85	85
NUMBER OF PISTONS	4	4	4	4
CERAMIC PISTONS	X	X	X	X
DIMENSIONS LXWXH (MM)	1020x480x940	1020x480x940	1020x480x940	1020x480x940
WEIGHT (KG)	74	74	74	74

Model	POSEIDON 7-66	POSEIDON 7-66 F/B	POSEIDON 7-66 F/B
Ref. no	301001636	301000223	301000224
Description	POSEIDON 7-66SS 440,220/3/60 US	POSEIDON 7-66F 400-415/3/50 EU	POSEIDON 7-66FB 400-415/3/50 EU
PRODUCT FEATURES			
THREE PHASE	■	■	■
AUTOMATIC STANDBY	■	■	■
STAINLESS STEEL FRAME	■	■	■
FOOD INDUSTRY WHEELS AND HOSE		■	■
SILENT POWER - 1450 RPM MOTOR	■	■	■
85 C INLET WATER TEMPERATURE	■	■	
C3 4-CERAMIC PISTON PUMP	■	■	■
FULL CERAMIC PISTONS	■	■	■
ERGO ACCESSORY SYSTEM	■	■	■
INCL. ACCESSORIES			
6101766 10 M 2 WIRE HOSE Ø 3/8 DN10	■		
6101767 10 M 2 WIRE HOSE Ø 3/8 FOOD		■	■
101119745 Nozzle 0640 indication ring green	■	■	■
106402184 Powerspeed Vario 3000 lance 1030 0640			
106402190 Spray handle w. swivel lock	■	■	■
106402120 Tornado 3000 Lance 1040 w/o nozzle	■	■	■





Technical specifications	POSEIDON 7-66	POSEIDON 7-66 F/B	POSEIDON 7-66 F/B
EL CABLE (M)	8	8	8
POWER CONSUMPTION (KW)	8	8	8
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~/HZ/A)	440-220/3/60/12,5-25	400/3/50/14	400/3/50/14
CLEANING IMPACT (KG/FORCE)	6,6	6,6	6,6
WATER FLOW QMAX/QIEC (L/H)	1280/1180	1280/1180	1280/1180
PUMP PRESSURE (BAR/MPA)	190/19	190/19	190/19
PUMP (RPM)	1450	1450	1450
NOZZLE SIZE	0640	0640	0640
MAX INLET TEMPERATURE (°C)	85	85	70
NUMBER OF PISTONS	4	4	4
CERAMIC PISTONS	X	X	X
DIMENSIONS LXWXH (MM)	1020x480x940	1020x480x940	1020x480x940
WEIGHT (KG)	74	74	74







Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B	
	Adapters					
	ADAPTER KEW M - M27X1.5EXT	66159	1	■	■	■
	ADAPTER KEW F - M27X1.5EXT	66160	1	■	■	■
	ADAPTOR M22X1,5X3/8	301000487	1	■	■	■
	ADAPTER HP HOSE M21x1.5x	64540	1	■	■	■
	QUICK SCREW M21X1,5 -	301000488	1	■	■	■
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	■	■	■
	ADAPTOR WAP GUN TO KEW ACCESS.	66162	1	■	■	■
ADAPTOR 22x1,5 TO ERGO	301000645	1	■	■	■	
	Tornado 3000 Lances					
	Tornado 3000 Lance 1040 w/o nozzle	106402120	1	■	■	■
	Tornado 3000 Lance 920 w/o nozzle	106402121	1	■	■	■
	Tornado 3000 Lance 2000 w/o nozzle	106402122	1	■	■	■
Tornado 3000 Lance 580 w/o nozzle	106402123	1	■	■	■	
	Universal Lances					
	Universal 3000 lance 1020 bent w/o nozzl	106402160	1	■	■	■
	Universal 3000 lance 920 bent w/o nozzl	106402161	1	■	■	■
	Universal 3000 lance 1200 bent w/o nozzl	106402162	1	■	■	■
	Universal 3000 lance 1020 w/o nozzle	106402163	1	■	■	■
	Universal 3000 lance 580 w/o nozzle	106402164	1	■	■	■
	Universal 3000 lance 1500 w/o nozzle	106402165	1	■	■	■
Universal 3000 lance 2000 w/o nozzle	106402166	1	■	■	■	
	PowerSpeed Vario Lances					
	Powerspeed Vario 3000 lance 1030 0530	106402183	1			
	Powerspeed Vario 3000 lance 1030 0640	106402184	1	■	■	■
	Powerspeed Vario 3000 lance 680 0530	106402133	1			
Powerspeed Vario 3000 lance 680 0640	106402134	1	■	■	■	
	TurboHammer Lances					
	TurboHammer 0550 W11 3000 lance 1070	106402175	1			
	TurboHammer 0600 W11 3000 lance 1070	106402176	1	■	■	■
TurboHammer 0700 W11 3000 lance 1070	106402172	1	■	■	■	
	FlexoPower Lances					
	FlexoPower 3000 lance 1070 w/o nozzle	106402140	1	■	■	■


Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B
FlexoPower Lances					
	FlexoPower 3000 lance 920 w/o nozzle	106402141	1	■	■
Short Lances					
	10CM SINGLE LANCE W/O NOZZLE	106402151	1	■	■
	10CM FLEXOPOWER W/O NOZZLE	106402152	1	■	■
	10CM DOUBLE LANCEW/O NOZZLE	106402150	1	■	■
Special Lances					
	UNDER CARRIAGE WASHER 40065	6400036	1	■	■
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	■	■
	DOUBLE LANCE 2M 1505 NOZZLE	6400117	1	■	■
	LONG LANCE 1.5 M W/O NOZZLE	6401193	1	■	■
	CURVED LANCE L1090 MM	6402016	1	■	■
Spray gun					
	Spray handle w. swivel lock	106402190	1	■	■
	Spray handle Vario Press	106402191	1	■	■
	Side bar compl.	106402110	1	■	■
Others					
	DRAIN CLEANER 05 10M HOSE	6401265	1		
	DRAIN CLEANER 05 20M HOSE	6401266	1		
	DRAIN CLEANER 06 10M HOSE	6401267	1	■	■
	DRAIN CLEANER 06 20M HOSE	6401268	1	■	■
	Pipe cleaning hose 4x10m	301002490	1	■	■
	Pipe cleaning hose 4x20m	301002491	1	■	■
	Pipe cleaning hose 4x30m	301002492	1	■	■
	PIPE CLEANING NOZZLE	46921	1	■	■
	HP NOZZLE PIPE CLEAN DN4	46918	1	■	■
	REDUCTION PIECE FOR DRAIN NZLE	6401067	1	■	■
	DRAIN NOZZLE 06. 3/8	2800894	1	■	■
	DRAIN NOZZLE 05 3/8	2800084	1	■	■
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	■	■
	WATER SUCTION KIT 300 L/MIN 05	6402017	1		
	WATER BREAK TANK POSEIDON 7	106101612	1	■	■
	LIFTING FRAME BAGIDON	301000703	1	■	■
	LIFTING FRAME WELDED POSE	301000712	1	■	■
	Abrasive blasting				
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	■	■
	ARMEX-POWDER	5218617	1	■	■
	WSB 300 SUCTION TUBE & HOSE	6400375	1	■	■

Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B
Abrasive blasting					
	WSB LANCEFLAT JET NOZZLE 06	6400382	1	■	■
	WSB LANCEROUND JET NOZZLE 06	6400384	1	■	■
	WSB LANCERUBBER NOZZLE 06	6401365	1	■	■
	WSB NOZZLE BORON-CARBIDE ROUND	6400377	1		
	WSB NOZZLE BORON-CARBIDE FLAT	6400379	1		
	WSB NOZZLE RUBBER FLAT	6402317	1		
	SUPER BLAST 25KG	8379	1	■	■
Detergent equipment					
	FOAM LANCE COMPLETE L600 MM	6404368	1	■	■
	FOAM LANCE COMPLETE L1200 MM	6404369	1	■	■
	FOAM INJECTOR W BYPASS	6401242	1	■	■
	FOAM INJECTOR W BYPASS S. S	6401243	1	■	■
	FOAM INJECTOR STANDARD	6401244	1	■	■
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	■	■
	02 INJECTOR COMPLETE	6401246	1		
	03 INJECTOR COMPLETE	6401247	1	■	■
	INJECTOR W. FIXED DOSING 3PCT	6401092	1	■	■
External control units					
	ELAPSED TIME INDICATOR	1479	1	■	■
	EASY START COLD WATER 7,5	301001741	1	■	■
	Kit regulator f.water capacity	101119415	1	■	■
Hose reels					
	HOSE REEL KIT P7. 8 BLACK	301000202	1	■	■
	HOSE REEL KIT P7. 8 ST. STEEL	301000540	1	■	■
	HOSE REEL RETRACTABLE, 20	6401188	1	■	■
	HOSE REEL, RETRACTABLE, 2	6401189	1	■	■
	HOSE DRUM W BRACKET W CRANK	6400226	1	■	■
	WALL MOUNTED RACK ST.STEEL	6300804	1	■	■
	HOSE TROLLEY M18X1. 5	5513	1	■	■
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	■	■
	CLEANING TROLLEYST. STEEL	6401094	1	■	■
	SPRING ASSISTED BOOM	107313262	1	■	■
Hose and connections					
	ERGO COUPLING FEMALE 3/8	106402075	1	■	■
	ERGO COUPLING MALE 3/8	1600493	1	■	■
	ERGO COUPLING MALE S.S 3/8	1603101	1	■	■
	BENT RESTRICTOR	101119495	1	■	■
	ERGO COUPLING KIT	101119496	1	■	■
	HIGH PRESSURE COUPLINGS KIT	101119499	1	■	■
	GEKA COUPLING HOSE END 3/4	1311	1	■	■
	GEKA HOSE COUPLING 1	3250	1	■	■
	NITO COUPLING HOSE END 3/4	1600659	1	■	■

NITO COUPLING HOSE END 1	1604669	1	■	■	■
GARDENA COUPLING HOSE END 3/4	1608629	1	■	■	■

Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B	
Hose and connections						
	GEKA coupling int thread 3/4	1718	1	■	■	■
	GEKA THREADED FITTING 1	1719	1	■	■	■
	NITO COUPLING INT THREAD 3/4	1602945	1	■	■	■
	GARDENA MALE 3/4	32541	1	■	■	■
	Hose Nozzle 20R3/4	61369	1	■	■	■
	10 M 1 WIRE HOSE Ø 5/16 DN8	1405569	1	■	■	■
	HOSE 1W 20 MTR	1405666	1	■	■	■
	10 m wire hose 5/16 DN8	101405770	1	■	■	■
	HP-HOSE DN8X15M	301001100	1	■	■	■
	HP-HOSE DN8X20M	301001101	1	■	■	■
	1 M 2 WIRE HOSE 3/8 DN10	1402916	1	■	■	■
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	■	■	■
	3 M 2 WIRE HOSE Ø 3/8 DN10	1402932	1	■	■	■
	5 M 2 WIRE HOSE Ø 3/8 DN10	1402940	1	■	■	■
	10 M 2 WIRE HOSE Ø 3/8 DN10	6101766	1	■	■	■
	15 M 2 WIRE HOSE Ø 3/8 DN10	1402064	1	■	■	■
	20 M 2 WIRE HOSE Ø 3/8 DN10	1402072	1	■	■	■
	25 M 2 WIRE HOSE Ø 3/8 DN10	1402080	1	■	■	■
	30 M 2 WIRE HOSE Ø 3/8 DN10	1402098	1	■	■	■
	50 M 2 WIRE HOSE Ø 3/8 DN10	1402759	1	■	■	■
10 M 2 WIRE HOSE Ø 3/8 FOOD	6101767	1	■	■	■	
15 M 2 WIRE HOSE Ø 3/8 FOOD	1401983	1	■	■	■	
20 M 2 WIRE HOSE Ø 3/8 FOOD	1401991	1	■	■	■	
25 M 2 WIRE HOSE Ø 3/8 FOOD	1402007	1	■	■	■	
30 M 2 WIRE HOSE Ø 3/8 FOOD	1402015	1	■	■	■	
Brushes, Washing						
	WASH BRUSH L2350 MM	6400087	1	■	■	■
	WASH BRUSH L1550 MM	6400088	1	■	■	■
	WASH BRUSH - ERGO	14202	1	■	■	■
	BRUSH INSERT	10356	1	■	■	■
Brushes, Rotary						
	ROTARY BRUSH 065 L800 MM	6400017	1	■	■	■
	ROTARY BRUSH 065 L1700 MM	6400016	1	■	■	■
	BRISTLE W. SHORT FIBRE HA	6401430	1	■	■	■
	BRISTLE, LONG	6401431	1	■	■	■
	NYLON, BRISTLE FOR ROTARY	6401432	1	■	■	■
	BRASS, BRISTLE	6401433	1	■	■	■
Filters, Pressure Washer						
	SAND FILTER 50 MICRON NITO	6401327	1	■	■	■
	SAND FILTER 50 MICRON NITOA	106402202	1	■	■	■
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	■	■	■
	CARTRIDGE FILTER 50MICRONF	1104041	1	■	■	■
	SUCTION FILTER 4,5 M HOSE	61256	1	■	■	■

Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B
Filters, Pressure Washer					
	SUCTION FILTER WITH FOOTVALVE	6400000	1	■	■
Stationary equipment					
	TANK CLEANING HEAD TRK 25	7847	1	■	■
	TANK CLEANING HEAD TRK	22308	1	■	■
Nozzles Pressure wash					
	HP-NOZZLE 2555 1/8	7814	1		
	HP-NOZZLE 2565 1/8	7815	1	■	■
	HP-NOZZLE 5060 1/8	5006	1	■	■
	Nozzle + indication ring 0530	101119742	1		
	Nozzle 0640 indication ring green	101119745	1	■	■
	NOZZLE PROTECTION CAP	18430	1	■	■
	Nozzle protection f. tornadol.	106402425	1	■	■
	CONTAINER CLEANING NOZZLE	15861	1	■	■
	FLEXOPOWERJET NOZZLE	63251	1	■	■
Surface Cleaning - Rotary					
	POWERSCRUB P300	106411310	1	■	■
	POWERSCRUB P400	106411311	1	■	■
	POWERSCRUB S500	106411313	1	■	■
	WHEELKIT FOR P300/P400/S50	106411314	1	■	■
Surface Cleaning - Multi Nozzle					
	FLOOR CLEANER 400 MM 06	6400158	1	■	■
	FLOOR CLEANER 600 MM 06	6400163	1	■	■
Detergents					
	ALTO J 25 MULTI 10 L	80923	1	■	■
	ALTO UNIVERSAL 10 L	80930	1	■	■
	ALTO DES 3000 10 L	80933	1	■	■
	ALTO RIMTOP 10 L	80935	1	■	■
	AUTO ACTIVE 10 L	81136	1	■	■
	ALTO INTENSIVE 10 L	81137	1	■	■
	ALTO SUPERPLUS 10 L	81170	1	■	■
	ALTO COMBI ACTIVE 10L	81172	1	■	■
	ALTO AUTODRY 10 L	81175	1	■	■
	ALTO ACTIVE WAX 10 L	81177	1	■	■
	ALTO SAPPHIRE 10 L	81180	1	■	■
	ALTO ACIDO 10 L	81204	1	■	■
	ALTO ALLOSIL 10 L	81237	1	■	■
	ALTO ALKAFOAM 10 L	81239	1	■	■

Accessories	Ref. no	Min. required	POSEIDON 7-59	POSEIDON 7-66	POSEIDON 7-66 F/B
Detergents					
	ACTIVE FOAM 10 L	81296	1	■	■
				■	■